

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Geneza Pharmaceuticals
GP Prima 100 (100 mg/mL)
Methenolone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnererweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail info@simec.ch www.simec.ch

Test report

Number **C 48760**

Object of analysis: GP Prima 100

Customer: AnabolicLab.com

Samples: 1

Batch: GP138CN

Receipt: 29.09.2016

Subject: Content, Identification Methenolone enanthate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Methenolone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	96.4 mg/mL	100 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: controlled & released: *M. G. S.* Staff: *J. B. H.*

completed:
17.11.2016


The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 17:30:44
 Vial: 6
 Probenidentifikation: C48760 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:11:50
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.503	134986	0.000	0.108
	11.037	63437	0.000	0.051
	12.103	164098	0.000	0.131
	14.907	64866886	0.000	51.752
	16.090	60899	0.000	0.049
	17.013	113838	0.000	0.091
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.063	173069	0.000	0.138
Trenbolone enanthate	23.913	40629	0.000	0.032
Testosterone Cypionate	25.120	80915	0.000	0.065
Testosterone enanthate	26.577	41111	0.000	0.033
	27.930	271386	0.000	0.217
Testosterone enanthate	28.617	105104	0.000	0.084
Methenolone Enanthate	30.570	59225692	0.000	47.251

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		125342050	0.000	100.000
--------	--	-----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\009_C48760 A-Rep1.dat

Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 18:24:07
 Vial: 6
 Probenidentifikation: C48760 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:11:52
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.497	135894	0.000	0.108
	11.023	61882	0.000	0.049
	12.093	163161	0.000	0.130
	14.890	64987550	0.000	51.786
	16.073	55531	0.000	0.044
	17.000	113997	0.000	0.091
Testosterone Propionate	20.643	50105	0.000	0.040
Nandrolone phenylpropionate	23.050	173947	0.000	0.139
	23.900	42268	0.000	0.034
Trenbolone enanthate	25.107	72345	0.000	0.058
Testosterone Cypionate			0.000 BDL	
	27.917	267017	0.000	0.213
Testosterone enanthate	28.603	101378	0.000	0.081
Methenolone Enanthate	30.563	59267774	0.000	47.228


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		125492849	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\009_C48760 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 19:17:25 Druckdatum: 14.11.2016 15:11:54
 Vial: 6 Injektvolumen: 20
 Probenidentifikation: C48760 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.497	135861	0.000	0.108
	11.027	61906	0.000	0.049
	12.093	164034	0.000	0.131
	14.897	65083771	0.000	51.785
	16.080	59067	0.000	0.047
	17.007	114432	0.000	0.091
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.060	177466	0.000	0.141
Trenbolone enanthate	23.910	43661	0.000	0.035
Testosterone Cypionate	25.120	73651	0.000	0.059
Testosterone enanthate	26.577	41102	0.000	0.033
Testosterone enanthate	27.927	268234	0.000	0.213
Testosterone enanthate	28.617	101246	0.000	0.081
Methenolone Enanthate	30.570	59356986	0.000	47.228

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate


Totals		125681417	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\009_C48760 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 20:10:44
 Vial: 7
 Probenidentifikation: C48760 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:11:56
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.493	121745	0.000	0.107
	11.013	54956	0.000	0.048
	12.083	147621	0.000	0.130
	14.883	59183858	0.000	52.114
	16.067	51235	0.000	0.045
	16.990	104864	0.000	0.092
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.047	158948	0.000	0.140
Trenbolone enanthate	25.103	64605	0.000	0.057
Testosterone Cypionate			0.000 BDL	
	27.917	241393	0.000	0.213
Testosterone enanthate	28.597	91777	0.000	0.081
Methenolone Enanthate	30.563	53345491	0.000	46.973
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate

0.000 BDL


Totals		113566493	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\010_C48760 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 21:04:03
 Vial: 7
 Probenidentifikation: C48760 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:11:59
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.490	121956	0.000	0.107
	11.020	55092	0.000	0.048
	12.087	147480	0.000	0.130
	14.893	59275917	0.000	52.116
	16.077	54967	0.000	0.048
	17.003	102985	0.000	0.091
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.060	154124	0.000	0.136
Trenbolone enanthate	25.120	62980	0.000	0.055
Testosterone Cypionate			0.000 BDL	
	27.930	241165	0.000	0.212
Testosterone enanthate	28.620	92336	0.000	0.081
Methenolone Enanthate	30.577	53430116	0.000	46.976
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate

0.000 BDL


Totals		113739118	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\010_C48760 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 21:57:27
 Vial: 7
 Probenidentifikation: C48760 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:01
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.497	121723	0.000	0.107
	11.023	55964	0.000	0.049
	12.090	147261	0.000	0.129
	14.890	59299926	0.000	52.100
	16.077	53545	0.000	0.047
	17.000	102220	0.000	0.090
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.050	152380	0.000	0.134
Trenbolone enanthate	25.107	64797	0.000	0.057
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	27.917	241455	0.000	0.212
	28.600	91750	0.000	0.081
Methenolone Enanthate	30.563	53489198	0.000	46.994
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate

0.000 BDL


Totals		113820219	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\010_C48760 B-Rep3.dat

Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 19:16:12 Druckdatum: 14.11.2016 15:10:49
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A


UV Results Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45555	0.000	0.036
Testosterone Cypionate	25.743	80888	0.000	0.063
	26.553	55725	0.000	0.044
	27.920	253596	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.570	64267191	0.000	50.215
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63281182	0.000	49.445

Totals		127984137	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 20:09:36 Druckdatum: 14.11.2016 15:10:52
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	68138	0.000	0.053
Testosterone Cypionate	25.750	81426	0.000	0.063
Testosterone enanthate	26.560	56348	0.000	0.044
Testosterone enanthate	27.927	253466	0.000	0.198
Methenolone Enanthate	30.573	64274555	0.000	50.116
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.493	63518238	0.000	49.526

Totals		128252171	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:03:03 Druckdatum: 14.11.2016 15:10:54
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	67143	0.000	0.052
Testosterone Cypionate	26.560	56401	0.000	0.044
Testosterone enanthate	27.923	253951	0.000	0.198
Methenolone Enanthate	30.573	64424116	0.000	50.209
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63428708	0.000	49.433

Totals		128312689	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:56:23 Druckdatum: 14.11.2016 15:10:56
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.487	68945	0.000	0.054
Testosterone Cypionate	25.757	83346	0.000	0.065
	26.563	57455	0.000	0.045
Testosterone enanthate	27.930	253119	0.000	0.197
			0.000 BDL	
Methenolone Enanthate	30.583	64432921	0.000	50.179
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.497	63510760	0.000	49.461

Totals		128406546	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 22:49:48 Druckdatum: 14.11.2016 15:10:58
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	68449	0.000	0.053
Testosterone Cypionate	25.753	83148	0.000	0.065
	26.563	57317	0.000	0.045
Testosterone enanthate	27.930	254243	0.000	0.198
			0.000 BDL	
Methenolone Enanthate	30.580	64330514	0.000	50.178
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63410712	0.000	49.461

Totals		128204383	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 23:43:15 Druckdatum: 14.11.2016 15:11:01
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45338	0.000	0.035
Testosterone Cypionate	25.750	81309	0.000	0.064
	26.553	56818	0.000	0.044
	27.927	253048	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.573	64216498	0.000	50.189
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.483	63297520	0.000	49.470

Totals		127950531	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met