

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Dragon Pharma
Primobolan 100 (100 mg/mL)
Methenolone Enanthate





If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.




Simec AG

Gärtnerreivweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report			Number C 48767		
Object of analysis:	Dragonpharma Primobolan 100				
Customer:	AnabolicLab.com		Samples:	1	
Batch:	DPPRIM-01		Receipt:	29.09.2016	
Subject:	Content, Identification Methenolone enanthate				
Method(s):	HPLC, SOP M 006				
Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Methenolone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	100.0 mg/mL	100 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-
<p>Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated E = external lab</p> <p>Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.</p>					
Signatures:	controlled & released:		Staff:		completed:
				17.11.2016	
The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.					page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 05:04:25 Druckdatum: 14.11.2016 15:12:19
 Vial: 10 Injektvolumen: 20
 Probenidentifikation: C48767 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.490	131163	0.000	0.082
	12.090	688863	0.000	0.430
	14.893	98728011	0.000	61.672
	15.973	87683	0.000	0.055
	17.000	230348	0.000	0.144
Testosterone Propionate	20.570	635506	0.000	0.397
	22.460	318769	0.000	0.199
Nandrolone phenylpropionate	22.827	569482	0.000	0.356
	23.900	233214	0.000	0.146
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.707	1949356	0.000	1.218
	29.550	912530	0.000	0.570
Methenolone Enanthate	30.567	54805151	0.000	34.235
	33.803	295238	0.000	0.184


	34.887	500259	0.000	0.312
Nandrolone			0.000 BDL	
Decanoate				
Testosterone			0.000 BDL	
decanoate				

Totals		160085573	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\014_C48767 A-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 05:57:48 Druckdatum: 14.11.2016 15:12:21
 Vial: 10 Injektvolumen: 20
 Probenidentifikation: C48767 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.497	131705	0.000	0.082
	12.097	682427	0.000	0.427
	14.897	98687375	0.000	61.678
	15.980	86851	0.000	0.054
	17.000	228865	0.000	0.143
Testosterone Propionate	20.570	634687	0.000	0.397
	22.457	314568	0.000	0.197
Nandrolone phenylpropionate	22.823	563550	0.000	0.352
	23.900	221186	0.000	0.138
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.703	1951518	0.000	1.220
	29.550	914593	0.000	0.572
Methenolone Enanthate	30.567	54804912	0.000	34.252
	33.803	289939	0.000	0.181


	34.887	490877	0.000	0.307
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		160003053	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\014_C48767 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 06:51:15 Druckdatum: 14.11.2016 15:12:24
 Vial: 10 Injektvolumen: 20
 Probenidentifikation: C48767 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.500	131713	0.000	0.082
	11.660	74681	0.000	0.046
	12.107	618510	0.000	0.384
	14.903	99409629	0.000	61.642
	15.983	88540	0.000	0.055
	17.003	228513	0.000	0.142
Testosterone Propionate	20.577	642116	0.000	0.398
	22.460	323821	0.000	0.201
Nandrolone phenylpropionate	22.823	573994	0.000	0.356
	23.900	237958	0.000	0.148
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.703	1963939	0.000	1.218
	29.550	919807	0.000	0.570
Methenolone Enanthate	30.563	55258812	0.000	34.265


	33.793	300141	0.000	0.186
	34.880	498216	0.000	0.309
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		161270390	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\014_C48767 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 07:44:36 Druckdatum: 14.11.2016 15:12:26
 Vial: 11 Injektvolumen: 20
 Probenidentifikation: C48767 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.500	128052	0.000	0.081
	11.660	71006	0.000	0.045
	12.110	599698	0.000	0.381
	14.913	97187938	0.000	61.714
	15.990	97881	0.000	0.062
	17.017	229074	0.000	0.145
Testosterone Propionate	20.587	623674	0.000	0.396
	22.473	272237	0.000	0.173
Nandrolone phenylpropionate	22.837	485055	0.000	0.308
	23.913	164272	0.000	0.104
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.717	1907966	0.000	1.212
	29.563	892127	0.000	0.567
Methenolone Enanthate	30.580	53991347	0.000	34.285


	33.810	310760	0.000	0.197
	34.893	519040	0.000	0.330
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		157480127	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48767 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 08:37:57 Druckdatum: 14.11.2016 15:12:28
 Vial: 11 Injektvolumen: 20
 Probenidentifikation: C48767 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.500	128545	0.000	0.082
	11.657	70528	0.000	0.045
	12.107	599291	0.000	0.380
	14.907	97147734	0.000	61.618
	15.980	98854	0.000	0.063
	17.010	228044	0.000	0.145
Testosterone Propionate	20.577	623865	0.000	0.396
	22.463	308631	0.000	0.196
Nandrolone phenylpropionate	22.827	551132	0.000	0.350
	23.903	221412	0.000	0.140
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.703	1920580	0.000	1.218
	29.547	901125	0.000	0.572
Methenolone Enanthate	30.560	54041128	0.000	34.277


	33.793	303388	0.000	0.192
	34.877	515800	0.000	0.327
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		157660057	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48767 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 09:31:19 Druckdatum: 14.11.2016 15:12:31
 Vial: 11 Injektvolumen: 20
 Probenidentifikation: C48767 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.503	128484	0.000	0.082
	12.113	674981	0.000	0.429
	14.913	97005261	0.000	61.594
	15.983	97219	0.000	0.062
	17.017	231056	0.000	0.147
Testosterone Propionate	20.580	623768	0.000	0.396
	22.463	314342	0.000	0.200
Nandrolone phenylpropionate	22.827	559146	0.000	0.355
	23.907	233003	0.000	0.148
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.707	1919994	0.000	1.219
	29.553	902757	0.000	0.573
Methenolone Enanthate	30.567	53979273	0.000	34.274
	33.800	306536	0.000	0.195


	34.887	515772	0.000	0.327
Nandrolone			0.000 BDL	
Decanoate				
Testosterone			0.000 BDL	
decanoate				

Totals		157491592	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48767 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 19:16:12 Druckdatum: 14.11.2016 15:10:49
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A


UV Results Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45555	0.000	0.036
Testosterone Cypionate	25.743	80888	0.000	0.063
	26.553	55725	0.000	0.044
	27.920	253596	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.570	64267191	0.000	50.215
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63281182	0.000	49.445

Totals		127984137	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 20:09:36 Druckdatum: 14.11.2016 15:10:52
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	68138	0.000	0.053
Testosterone Cypionate	25.750	81426	0.000	0.063
	26.560	56348	0.000	0.044
	27.927	253466	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.573	64274555	0.000	50.116
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.493	63518238	0.000	49.526

Totals		128252171	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:03:03 Druckdatum: 14.11.2016 15:10:54
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	67143	0.000	0.052
Testosterone Cypionate	26.560	56401	0.000	0.044
Testosterone enanthate	27.923	253951	0.000	0.198
Methenolone Enanthate	30.573	64424116	0.000	50.209
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63428708	0.000	49.433

Totals		128312689	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:56:23 Druckdatum: 14.11.2016 15:10:56
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.487	68945	0.000	0.054
Testosterone Cypionate	25.757	83346	0.000	0.065
Testosterone Cypionate	26.563	57455	0.000	0.045
Testosterone enanthate	27.930	253119	0.000	0.197
Methenolone Enanthate	30.583	64432921	0.000	50.179
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.497	63510760	0.000	49.461

Totals		128406546	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 22:49:48 Druckdatum: 14.11.2016 15:10:58
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	68449	0.000	0.053
Testosterone Cypionate	25.753	83148	0.000	0.065
	26.563	57317	0.000	0.045
Testosterone enanthate	27.930	254243	0.000	0.198
			0.000 BDL	
Methenolone Enanthate	30.580	64330514	0.000	50.178
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63410712	0.000	49.461

Totals		128204383	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 23:43:15 Druckdatum: 14.11.2016 15:11:01
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45338	0.000	0.035
Testosterone Cypionate	25.750	81309	0.000	0.064
	26.553	56818	0.000	0.044
	27.927	253048	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.573	64216498	0.000	50.189
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.483	63297520	0.000	49.470

Totals		127950531	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met